

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Wadmark Company

Members of:
American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

TEST REPORT

NUMBER: HKGH00809962

APPLICANT: INTEX SYNDICATE LIMITED
Room 2107, Tower II

DATE: Jan 13, 2009

ALSO
X-BALL

SAMPLE DESCRIPTION:


EIGHT (8) PIECES OF SUBMITTED SAMPLE SAID TO BE :

ITEM NAME : BALL OF WHACKS WITH 8 ASSORTED COLOR:
- RED.
- WHITE.
- BLUE.
- BLACK.
- YELLOW.
- GREEN.
- SIX COLOR EDITION.
- MIXED COLORS.

REFERENCE NO. : BOW362LY (BOW36COL), BOW33REB, BOW30, BOW40, BOW31BLU,
BOW33RCK, BOW34YEL.

LABELLED AGE WARNING : WARNING : NOT FOR CHILDREN UNDER 8 YEARS.
PACKAGING PROVIDED BY : YES.

BUYER : CREATIVE WHACK.
COUNTRY OF ORIGIN : CHINA.



TESTS CONDUCTED:

AS REQUESTED BY THE APPLICANT, FOR DETAILS REFER TO ATTACHED PAGE(S)

TO BE CONTINUED

FOR AND ON BEHALF OF :
INTERTEK TESTING SERVICES HK LTD.

KAREN S.C. NG
GENERAL MANAGER





Hong Kong Government Recognized Service Supplier
 Approved Laboratory of The Wadmark Company

Members of:
 American National Standards Institute
 American Society for Testing and Materials
 British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
 Hong Kong Toys Council

TEST REPORT

NUMBER: HKGH00809962

CONCLUSION:

<u>TESTED SAMPLES</u>	<u>STANDARD - U.S. ASTM E963-07¹</u>	<u>RESULT</u>
SUBMITTED SAMPLES	PHYSICAL AND MECHANICAL TESTS	PASS

FLAMMABILITY TEST OF MATERIALS OTHER THAN TEXTILE MATERIALS	PASS
--	------

COATINGS ON PAPER CARD (BOOK COVER) OF SUBMITTED SAMPLES	TOXIC ELEMENTS TEST	PASS
--	---------------------	------

<u>TESTED SAMPLES</u>	<u>STANDARD</u>	<u>RESULT</u>
TESTED COMPONENTS OF SUBMITTED SAMPLES	U.S. CONSUMER PRODUCT SAFETY IMPROVEMENT ACT 2008 (H.R. 4040) TITLE I, SECTION 101 FOR TOTAL LEAD CONTENT IN NON-SURFACE COATING MATERIALS	PASS

<u>TESTED SAMPLES</u>	<u>STANDARD - U.S. CFR TITLE 16</u>	<u>RESULT</u>
SUBMITTED SAMPLES	(CPSC REGULATIONS) MECHANICAL AND PHYSICAL TESTS	NOT APPLICABLE
	PART 1500.3 (c) (5) (vi) FLAMMABILITY TEST ON RIGID AND PLIABLE SOLIDS	PASS

COATINGS ON PAPER CARD (BOOK COVER) OF SUBMITTED SAMPLES	PART 1303 TOTAL LEAD CONTENT	PASS
--	------------------------------	------

FOR AND ON BEHALF OF :
 INTERTEK TESTING SERVICES HK LTD.

KAREN S.C. NG
 GENERAL MANAGER



Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of:

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

TEST REPORT

NUMBER: HKGH00809962

TESTS CONDUCTED

1 PHYSICAL AND MECHANICAL TESTS

AS PER ASTM STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY F963-07⁰¹.

APPLICANT'S SPECIFIED AGE GROUP FOR TESTING : FOR AGES OVER 8 YEARS.

<u>SECTION</u>	<u>TESTING ITEMS</u>	<u>ASSESSMENT</u>
4.1	MATERIAL QUALITY (VISUAL CHECK ON CLEANINGLESS)	P
4.5	SOUND-PRODUCING TOYS	NA
4.6.1	TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS (SMALL OBJECTS)	NA
4.6.2	MOUTH-ACTUATED TOYS	NA
4.6.3	TOYS AND GAMES FOR 36 MONTHS TO 72 MONTHS (SMALL PART WARNING)	NA
4.7	ACCESSIBLE EDGES	NA
4.8	PROJECTIONS	NA
4.9	ACCESSIBLE POINTS	NA
4.10	WIRES OR RODS	NA
4.11	NAILS AND FASTENERS	NA
4.12	PACKAGING FILM	NA
4.13	FOLDING MECHANISMS AND HINGES	NA
4.14	CORDS AND ELASTICS	NA
4.15	STABILITY AND OVER-LOAD REQUIREMENTS	NA
4.16	CONFINED SPACES	NA
4.17	WHEELS, TIRES AND AXLES	NA
4.18	HOLES, CLEARANCE, AND ACCESSIBILITY OF MECHANISMS	NA
4.19	SIMULATED PROTECTIVE DEVICES, SUCH AS HELMETS, HATS AND GOGGLES	NA
4.20	PACIFIERS	NA
4.21	PROJECTILE TOYS	NA
4.22	TEETHERS AND TEETHING TOYS	NA
4.23	RATTLES	NA
4.24	SQUEEZE TOYS	NA
4.25	BATTERY-OPERATED TOYS	NA
4.26	TOYS INTENDED TO BE ATTACHED TO A CRIB OR PLAYPEN	NA
4.27	TOY CHESTS	NA
4.28	STUFFED AND BEANBAG-TYPE TOYS	NA
4.29	STROLLER AND CARRIAGE TOYS	NA
4.30	ART MATERIALS	NA
4.31	TOY GUN MARKING	NA
4.32	BALLOONS	NA
4.33	CERTAIN TOYS WITH SPHERICAL ENDS	NA



Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of:

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

TEST REPORT

NUMBER: HKGH00809962

TESTS CONDUCTED

<u>SECTION</u>	<u>TESTING ITEMS</u>	<u>ASSESSMENT</u>
4.34	MARBLES	NA
4.35	BALLS	NA
4.36	POMPOMS	NA
4.37	HEMISPHERIC-SHAPED OBJECTS	NA
4.38	YOYO ELASTIC TETHER TOYS	NA
4.39	MAGNETS	NA
5	LABELLING REQUIREMENT	P
6	INSTRUCTIONAL LITERATURE	P
7	PRODUCER'S MARKINGS	
	- NAME OF PRODUCER/DISTRIBUTOR (TOY & PACKAGE)	YES
	- ADDRESS (PACKAGE)	YES

REMARK : THE SUBMITTED SAMPLES WERE UNDERGONE THE TESTS IN ACCORDANCE WITH SECTION 8.5 THROUGH SECTION 8.18 AND 8.20 THROUGH 8.25 ON NORMAL USE, ABUSE AND SPECIFIC TESTS FOR DIFFERENT TYPES OF TOYS WHICHEVER IS APPLICABLE.

P = PASS

NA = NOT APPLICABLE

DATE SAMPLE RECEIVED : DEC 24, 2008

TESTING PERIOD : DEC 24, 2008 TO JAN 05, 2009



Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of:
American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

TEST REPORT

NUMBER: HKGH00809962

TESTS CONDUCTED

2 FLAMMABILITY TEST

AS PER SECTION 4.2 OF THE ASTM STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY F963-07⁰¹.

<u>SAMPLE</u>	<u>IGNITION POINT</u>	<u>BURN LENGTH</u> (INCH)	<u>TIME</u> (SEC)	<u>BURN RATE</u> (INCH/SEC)	<u>LIMIT</u> (INCH/SEC)
WHACK	EDGE	1.0	60	0.02	0.10

ALL STYLES OF THE SUBMITTED TOY SAMPLES AND ITS ACCESSORIES WERE TESTED, THE ABOVE RESULT ONLY SHOWED THE MOST SEVERE BURN RATE OF THE SAMPLES.

DATE SAMPLE RECEIVED : DEC 24, 2008
TESTING PERIOD : DEC 24, 2008 TO JAN 05, 2009

3 TOXIC ELEMENTS ANALYSIS ON COATINGS OF PAPER CARD (BOOK COVER)

AS PER SECTION 4.2.5 OF THE ASTM STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY F963-07⁰¹, ACID DIGESTION AND EXTRACTION METHODS WERE USED AND TOXIC ELEMENTS CONTENT WERE DETERMINED BY INDUCTIVELY COUPLED ARGON PLASMA SPECTROMETRY.

	<u>RESULT IN ppm</u>	<u>LIMIT</u>
TOTAL LEAD (Pb)	<10	ppm 600
SOL. BARIUM (Ba)	<5	1000
SOL. LEAD (Pb)	<5	90
SOL. CADMIUM (Cd)	<5	75
SOL. ANTIMONY (Sb)	<5	60
SOL. SELENIUM (Se)	<5	500
SOL. CHROMIUM (Cr)	<5	60
SOL. MERCURY (Hg)	<5	60
SOL. ARSENIC (As)	<2.5	25

SOL. = SOLUBLE
< = LESS THAN
ppm = PARTS PER MILLION

DATE SAMPLE RECEIVED : DEC 24, 2008
TESTING PERIOD : DEC 24, 2008 TO JAN 12, 2009



Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of:
American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

TEST REPORT

NUMBER: HRGH00809962

TESTS CONDUCTED

4 TOTAL LEAD (Pb) CONTENT IN NON-SURFACE COATING MATERIALS

AS PER U.S. CONSUMER PRODUCT SAFETY IMPROVEMENT ACT 2008 (H.R. 4040), TITLE I, SECTION 101 FOR CHILDREN'S PRODUCTS CONTAINING LEAD, ACID DIGESTION METHOD WAS USED AND TOTAL LEAD CONTENT WAS DETERMINED BY INDUCTIVELY COUPLED ARGON PLASMA SPECTROMETRY.

<u>TESTED COMPONENT</u>	<u>RESULT IN ppm</u>
(1)	<10
(2)	<10
(3)	<10
(4)	<10
(5)	<10
(6)	<10
(7)	<10
(8)	<10

REQUIREMENT

600 ppm AFTER 10 FEB, 2009
300 ppm AFTER 14 AUG, 2009
100 ppm AFTER 14 AUG, 2011

REMARK :

ppm = PARTS PER MILLION
< = LESS THAN

TESTED COMPONENTS :

- (1) PAPER CARD EXCLUDING COATINGS (BOOK COVER).
- (2) PAPER SHEET WITH BLACK PRINTING (PAGE OF BOOK).
- (3) YELLOW PLASTIC (BLOCK).
- (4) BLACK PLASTIC (BLOCK).
- (5) GREEN PLASTIC (BLOCK).
- (6) RED PLASTIC (BLOCK).
- (7) BLUE PLASTIC (BLOCK).
- (8) WHITE PLASTIC (BLOCK).

DATE SAMPLE RECEIVED : DEC 24, 2008

TESTING PERIOD : DEC 24, 2008 TO JAN 12, 2009





Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of:
American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

TEST REPORT

NUMBER: HKGH00809962

TESTS CONDUCTED

5 PHYSICAL AND MECHANICAL TEST

AS PER U.S. CODE OF FEDERAL REGULATIONS TITLE 16 PART 1500.50, THE HAZARDS OF SHARP POINTS, SHARP EDGE AND SMALL PARTS ARE ASSESSED BOTH BEFORE AND AFTER APPLICABLE USE AND ABUSE TESTS.

APPLICANT'S SPECIFIED AGE GROUP FOR TESTING : FOR AGES OVER 8 YEARS.

REMARK : THE PHYSICAL AND MECHANICAL TESTS REQUIREMENTS OF U.S. CONSUMER PRODUCTS SAFETY COMMISSION FOR TOYS AND ARTICLES INTENDED FOR USE BY THE CHILDREN SPECIFIED IN U.S. CODE OF FEDERAL REGULATIONS TITLE 16, PART 1500.48, 1500.49 AND 1501 ARE ONLY FOR CHILDREN UNDER 8 YEARS OF AGE. THEREFORE, THE SUBMITTED SAMPLE WAS FOUND NOT APPLICABLE.

DATE SAMPLE RECEIVED : DEC 24, 2008
TESTING PERIOD : DEC 24, 2008 TO JAN 05, 2009

6 FLAMMABILITY TEST

AS PER U.S. CODE OF FEDERAL REGULATIONS TITLE 16 PART 1500.44 FOR RIGID AND PLIABLE SOLIDS.

<u>SAMPLE</u>	<u>IGNITION POINT</u>	<u>BURN LENGTH</u> (INCH)	<u>TIME</u> (SEC)	<u>BURN RATE</u> (INCH/SEC)	<u>LIMIT</u> (INCH/SEC)
WHACK	EDGE	1.0	60	0.02	0.10

ALL STYLES OF THE TOY SAMPLE AND ITS ACCESSORIES WERE TESTED, THE ABOVE RESULT ONLY SHOWED THE MOST SEVERE BURN RATE.

DATE SAMPLE RECEIVED : DEC 24, 2008
TESTING PERIOD : DEC 24, 2008 TO JAN 05, 2009

7 TOTAL LEAD (Pb) CONTENT IN COATINGS OF PAPER CARD (BOOK COVER)

AS PER U.S. CODE OF FEDERAL REGULATIONS TITLE 16 PART 1303, ACID DIGESTION METHOD WAS USED AND TOTAL LEAD CONTENT WAS DETERMINED BY INDUCTIVELY COUPLED ARGON PLASMA SPECTROMETRY.

RESULT : LESS THAN 0.001%

LIMIT : 0.060%

DATE SAMPLE RECEIVED : DEC 24, 2008
TESTING PERIOD : DEC 24, 2008 TO JAN 12, 2009

END OF REPORT





Certification of Conformity

To comply with the mandatory requirement of Consumer Product Safety Improvement Act Section 14

The manufacturer,

Intex Toys & Plastic Electronics (name of manufacturer), registered at
Weng Tang Industrial District Dong Cheng, Dongguan, Guangdong (address, China
tel. & fax no.) 86-769-2229-5251 tel; 86-769-2229-7767 fax

The importer,

Creative Whack Company (name of US importee), registered at
179 Ludlow Street, Stamford, CT 06902 USA (address,
tel. & fax no.) 203-353-8400 tel; 203-353-8431 fax

We certify that the Ball of Whacks (product name), lot number BOW30, BOW31BLU
BOW36MLT, BOW37, BOW38 manufactured on November 2008 at BOW38BLK
Weng Tang Industrial District, Dong Cheng (manufacturing location) is complying
with CPSC 16 CFR #303, ASTM F 963-07, 16CFR1510, H.R.4040 Consumer Product
Safety Improvement Act, etc.

The aforesaid product was tested by Intertek Testing (name of 3rd lab) located
at 1 Garment Centre, 576 Castle Peak Rd, Kowloon, Hong Kong with the regulation and testing method
of ASTM F963-07 with verified
by in-house testing program of incoming materials (frequency), or
/and in-line product (frequency), or/and final
product test (frequency). The in-house laboratory operation is strictly in accordance
with the requirement of ISO/IEC 17025 with 3rd party certification on
June 2, 2007.

This Certification of Conformity and relevant test records are maintained by
Tom Lam registered at 8 Hok Cheung St. with contact number of
852-2330-3666 Hung Hom, Kowloon, Hong Kong

This is to verify to the best of my knowledge the above statements are correct.

Manufacturer
For and On Behalf of

US Importer
For and On Behalf of

Nelson Fu
(Name of Signing Officer)
(Date)

Bobbie Bessaid
(Name of Signing Officer or Representative)
(Date)